

Platform Name:

JOHAN CASTBERG



Contact Information

Call sign:	LF9J	E-mail:	
MMSI no:	257 361 000	Phone no:	+47 77 04 51 11
Position datum WGS 84 North, dms:	72°29'3.1"	VHF central control room:	Kanal 10
Position datum WGS 84 East, dms:	20°14'7.5"	UHF central control room:	Tetra (SKR)


Contact Information cranes

UHF crane 1	TX: 417.31250 RX: 417.31250	UHF crane 3	NA
UHF crane 2	TX: 417.13750 RX: 417.13750	UHF crane 4	NA

Map with zones (not to scale)

Crane capacity


R=53.6m SWL 14.7T
R=8.0m SWL 45T



Zone color coding

Color	Meaning	Reason
Green zone:	Loading/offloading zone. Normal process with approval from the Central Control room	Crane coverage
Orange-striped zone:	Entering this zone needs extra approval from Platform Manager in addition to Central Control room	
Red/Yellow zone:	Exclusion zone. Entering this zone needs approved dispensation.	Bow: Risk of drift on collision. Weather from this direction. Stern: Risk of bow to stern collision during offloading. Also, risk of dropped objects, heat/hot products from flaring.

Other symbols/markings



180-degree obstacle free helicopter zone
 210-degree obstacle free helicopter zone
CAUTION: Turning radius. Platform is weathervaning and rotates within this circle. Sudden heading change could occur! See additional information for risks within this circle.

Platform specific information

Largest allowed vessel displacement for normal visit:	10 000t
Lowest height from MSL to living quarter or lifeboats:	NA
Lowest bridge height from MSL:	NA

Displacement / Significant wave height -table for vessel operation on lo-ward side of platform

E = 40 MJ	
Displacement [ton]	Significant wave height [m]
5000	6,8
6000	6,2
7000	5,7
8000	5,3
9000	5,0
10000	4,8
11000	4,6
12000	4,4
13000	4,2


For vessels above 13000t, the risk must be evaluated. The platform's maritime leader shall be contacted.



Additional information

WARNING, Platform is weathervaning and has heading control. Sudden heading changes could occur:

- Zones marked on the map rotates with the platform heading.
- Be aware of risk of collision if loss of heading control when a vessel is inside the turning radius.
- The consequence of a ship collision with the platform side could be severe. Visiting vessels inside the turning radius must therefore use the following approach and keep the heading parallel to the platform at all times:



Owner: Marine Technology Department Equinor

Rev. No	Date	Name
0	01.07.2024	Inand